

KLOW BLEND 80 MG / 3 ML SOLUTION FOR INJECTION IN PRE-FILLED PEN

PATIENT INFORMATION LEAFLET

Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

- Keep this leaflet. You may need to read it again (or access it online via the hosted link provided by your supplier or healthcare provider).
- If you have any further questions, ask your doctor, pharmacist, or healthcare provider.
- This medicine has been supplied for you only. Do not pass it on to others. It may harm them, even if their signs of illness are the same as yours.
- If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. Report side effects online if applicable in your region.

1. What KLOW Blend is and what it is used for

KLOW Blend is a research peptide complex combining three synergistic compounds:

- **GHK-Cu (Copper Tripeptide-1) 50 mg** – studied for collagen production, skin tightening, wound healing, and anti-aging.
- **BPC-157 10 mg** – studied for tissue repair, anti-inflammatory effects, and healing.
- **TB-500 (Thymosin Beta-4 fragment) 10 mg** – studied for cellular migration, tissue recovery, and regeneration.
- **KPV (Lysine-Proline-Valine) 10 mg** – studied for potent anti-inflammatory and immune-modulating properties.

Total: **80 mg** per pen. It is primarily researched for advanced skin rejuvenation, inflammation control, collagen stimulation, and overall tissue repair.

This pre-filled injector pen contains 80 mg of KLOW Blend dissolved in 3 ml of solution (**concentration: ~26.67 mg/ml** total peptides). It is supplied for research, investigational, or off-label use under strict medical supervision only. These peptides are not approved for general commercial or routine use. Use only as directed by a qualified healthcare professional.

2. What you need to know before you use KLOW Blend

Do not use KLOW Blend if:

- You are allergic to GHK-Cu, BPC-157, TB-500, KPV, benzyl alcohol, or any of the other ingredients.
- You have a history of copper-related disorders (e.g., Wilson's disease).
- You are pregnant, planning pregnancy, or breastfeeding.
- You are under 18 years of age.

Warnings and precautions

Talk to your doctor before using KLOW Blend if you have:

- History of cancer, tumors, or abnormal cell growth.
- Kidney or liver problems.
- Bleeding disorders or are taking blood thinners.
- Known sensitivity to benzyl alcohol.

Other medicines and KLOW Blend

Tell your doctor if you are taking other medications, especially anti-inflammatory drugs, blood thinners, or other peptides.

Pregnancy and breast-feeding

Do not use if pregnant or breast-feeding. Use effective contraception during treatment and for a period after stopping (consult your doctor).

Driving and using machines

KLOW Blend is unlikely to affect your ability to drive or use machines, but be cautious until you know how it affects you.

3. How to use KLOW Blend

Always use this medicine exactly as your doctor or healthcare provider has told you. Check with them if unsure.

This is a **pre-filled injector pen** containing 80 mg KLOW Blend in 3 ml solution (~26.67 mg/ml). Administer as a subcutaneous injection (usually once daily).

The pen uses a dial/click mechanism. **Each click delivers 0.01 ml** (standard calibration for most similar pens).

- Total clicks in pen: **300 clicks** (full 3 ml).
- 1 click = **~0.267 mg total peptides**.

Recommended Research Dosing (consult your provider):

Dose Level	Total Peptides	Volume	Number of Clicks
Starting / Low	~2.67 mg	0.10 ml	10 clicks
Standard	~4.00 mg	0.15 ml	15 clicks
Enhanced	~5.33 mg	0.20 ml	20 clicks
Maximum (daily)	~8.00 mg	0.30 ml	30 clicks



- Most users start with 10–15 clicks daily and titrate up based on tolerance.
- Do not exceed 30 clicks (0.3 ml) per day without medical advice.
- Inject at the same time each day.

How to inject

- Wash your hands thoroughly with soap and water.
- Clean the injection site (abdomen, thigh, or upper arm) with an alcohol swab and let it dry.
- Gently swirl or tilt the pen if needed. Do not shake.
- Prime the pen if this is the first use (follow pen instructions).
- Dial/click to your prescribed dose (e.g., 15 clicks).
- Pinch a fold of skin at the cleaned injection site.
- Insert the needle at a 45° to 90° angle (90° is usually best).
- Slowly push the plunger to inject the solution.
- Hold the needle in place for 5–10 seconds after injecting.
- Withdraw the needle at the same angle.
- Gently press the injection site with a clean cotton ball or alcohol swab if needed. Do not rub.
- Dispose of the used pen or needle safely in a sharps container.
- Rotate injection sites with each use to avoid irritation or lumps.

4. Possible side effects

Most users tolerate KLOW Blend well, but possible side effects include:

- Injection site reactions (redness, itching, swelling, or mild bruising).
- Mild fatigue, headache, or nausea (especially when starting).
- Temporary skin sensations or flushing (due to GHK-Cu).

Serious (seek immediate medical help): Allergic reactions (rash, swelling, difficulty breathing), severe abdominal pain, or unusual symptoms.

Report any side effects to your doctor.

5. How to store KLOW Blend

- Store the pen in a refrigerator (2–8°C). Do not freeze.
- Protect from light and keep in the original packaging.
- If needed for short periods (e.g., travel), it may be stored at room temperature (below 30°C) for a limited time — check pen label or supplier instructions.
- Keep out of sight and reach of children.
- Do not use after the expiry date or if the solution appears cloudy, discolored, or contains particles. Dispose of used pens safely (follow local regulations for sharps disposal).

6. Contents of the pack and other information

What KLOW Blend contains:

- Active substances: GHK-Cu 50 mg, BPC-157 10 mg, TB-500 10 mg, KPV 10 mg (total 80 mg) in 3 ml solution.
- Other ingredients: Benzyl alcohol (preservative) and excipients as per formulation (refer to pen label or supplier for full list).

Pack: Pre-filled injector pen (multi-dose design, 300 clicks total).

Supplier / Hosting Note: This leaflet is hosted online for easy access and updates. Always refer to the latest version at the provided link.

This is not a marketed product; supplied for investigational/research use.

This leaflet was last revised in April 2026.

Important note: KLOW Blend is for research/investigational use only and is not approved for routine human use. This leaflet is informational and not a substitute for professional medical advice. Always consult a healthcare provider before starting, continuing, or adjusting treatment. Regular monitoring is essential. Stay hydrated, follow a balanced diet, and incorporate healthy lifestyle practices. If symptoms persist, worsen, or you experience severe side effects, contact your doctor or seek emergency care immediately.